

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : PROMASTOP®-CC paste  
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Fire protection

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Etex Building Performance GmbH  
St.-Peter-Straße 25  
4021 Linz - AUSTRIA  
T +43 732 6912 0  
[info.at@etexgroup.com](mailto:info.at@etexgroup.com) - [www.promat.at](http://www.promat.at)

### 1.4. Emergency telephone number

Emergency number : Please contact a regional poison center or emergency telephone number.

| Country        | Organisation/Company   | Address                                  | Emergency number   | Comment |
|----------------|--|--|--|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital   | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| Malta          | Medicines & Poisons Info Office  | Mater Dei Hospital<br>MSD Msida          | +356 2545 6504   |         |
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St<br>Thomas' Hospital Trust | Avonley Road<br>SE14 5ER London          | +44 20 7188 7188   |         |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

**Adverse physicochemical, human health and environmental effects**

No additional information available

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)(55965-84-9), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic reaction.  
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not established.

### 3.2. Mixtures

Comments : Mixture of the substances listed below with harmless additives

| Name  | Product identifier  | %           | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|---|---|-------------|--|
| Aluminium hydroxide substance with national workplace exposure limit(s) (GB)  | (CAS-No.) 21645-51-2<br>(EC-No.) 244-492-7  | ≥ 25 – < 50 | Not classified   |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] substance with national workplace exposure limit(s) (IE, GB)   | (CAS-No.) 13463-67-7<br>(EC-No.) 236-675-5<br>(EC Index-No.) 022-006-002<br>(REACH-no) 01-2119489379-17 | <10         | Carc. 2, H351  |
| Mineral wool, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na <sub>2</sub> O+K <sub>2</sub> O+CaO+MgO+BaO) content greater than 18% by weight] | (EC Index-No.) 650-016-00-2   | ≥ 0.1 – < 1 | Carc. 2, H351  |
| 1,2-benzisothiazol-3(2H)-one  | (CAS-No.) 2634-33-5<br>(EC-No.) 220-120-9<br>(EC Index-No.) 613-088-00-6                                | < 0.1       | Acute Tox. 4 (Oral), H302<br>(ATE=500 mg/kg Körpergewicht)<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400   |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one   | (CAS-No.) 55965-84-9<br>(EC Index-No.) 613-167-00-5   | < 0,0015    | Acute Tox. 2 (Inhalation), H330<br>(ATE=0.05 mg/l/4h)<br>Acute Tox. 2 (Dermal), H310<br>(ATE=50 mg/kg Körpergewicht)<br>Acute Tox. 3 (Oral), H301<br>(ATE=100 mg/kg Körpergewicht)<br>Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=100) |

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Specific concentration limits:  |  |  |
|---|--|--|
| Name  | Product identifier   | Specific concentration limits  |
| 1,2-benzisothiazol-3(2H)-one  | (CAS-No.) 2634-33-5<br>(EC-No.) 220-120-9<br>(EC Index-No.) 613-088-00-6 | ( 0.05 ≤C < 100) Skin Sens. 1, H317  |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | (CAS-No.) 55965-84-9<br>(EC Index-No.) 613-167-00-5                      | ( 0.0015 ≤C < 100) Skin Sens. 1A, H317<br>( 0.06 ≤C < 0.6) Skin Irrit. 2, H315<br>( 0.06 ≤C < 0.6) Eye Irrit. 2, H319<br>( 0.6 ≤C < 100) Eye Dam. 1, H318<br>( 0.6 ≤C < 100) Skin Corr. 1C, H314 |

Comments : The product does not contain any substances of very high concern (SVHC).  
Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash off immediately with soap and plenty of water removing at the same time all contaminated clothes. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth thoroughly, drink plenty of water. If symptoms persist, consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media can be used. Use extinguishing media appropriate for surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Do not breathe fumes from fires or vapours from decomposition.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Do not allow entry to drains, sewers, water courses or soil.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Dispose in a safe manner in accordance with local/national regulations.  
Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid all unnecessary exposure. Spray application of a coating system typically requires respiratory protection to prevent from inhalation of paint aerosols as well as from volatile and non-volatile (e.g. pigments, fillers) paint components, independent from the nature of the coatings system. Spray application requires improved respiratory protection by using at least a combination filter A/P2 or A/P3 or a supplied air system, depending on the extend of spray operation duration of spraying, extend of aerosol formation, etc.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.  
Storage conditions : Keep away from heat and direct sunlight. Protect against frost.

### 7.3. Specific end use(s)

For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Aluminium hydroxide (21645-51-2)              |                      |
|---|----------------------|
| United Kingdom - Occupational Exposure Limits |                      |
| WEL TWA (OEL TWA) [1]                         | 10 mg/m <sup>3</sup> |
| WEL STEL (OEL STEL)                           | 4 mg/m <sup>3</sup>  |

#### titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

| Ireland - Occupational Exposure Limits |                  |
|--|------------------|
| Local name                             | Titanium dioxide |

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7) |   |
|---|---|
| OEL TWA [1]   | 10 mg/m <sup>3</sup> total inhalable dust<br>4 mg/m <sup>3</sup> respirable dust          |
| Regulatory reference  | Chemical Agents Code of Practice 2020   |
| <b>United Kingdom - Occupational Exposure Limits</b>  |   |
| Local name  | Titanium dioxide  |
| WEL TWA (OEL TWA) [1]   | 4 mg/m <sup>3</sup> respirable<br>10 mg/m <sup>3</sup> total inhalable                    |
| Regulatory reference  | EH40/2005 (Fourth edition, 2020). HSE   |
| <b>Iceland - Occupational Exposure Limits</b>   |   |
| Local name  | Títandíoxíð, sem Ti   |
| OEL TWA   | 6 mg/m <sup>3</sup>   |
| Regulatory reference  | Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009) |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

Additional information : Ensure all national/local regulations are observed.

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure adequate ventilation. Ensure exposure is below occupational exposure limits (where available).

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Risk of contact: wear approved safety goggles.

#### 8.2.2.2. Skin protection

##### Hand protection:

Use chemical resistant, impermeable gloves. Neoprene or nitrile rubber gloves. Wash hands after handling.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No special protection required where adequate ventilation is maintained. Use appropriate respiratory equipment when exposures are likely or can be foreseen to exceed the Occupational Exposure Limits or Workplace Exposure Limits for the UK (e.g. for exposures up to 10 times the OEL (WEL) use at least a P2 type dust mask. For higher exposure, use a P3 type mask).

#### 8.2.2.4. Thermal hazards

No additional information available

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                              |
|---|------------------------------|
| Physical state                                  | : Liquid                     |
| Colour  | : Grey.                      |
| Appearance                                      | : Paste.                     |
| Odour   | : characteristic.            |
| Odour threshold                                 | : Not available              |
| Melting point                                   | : Not determined             |
| Freezing point                                  | : Not available              |
| Boiling point                                   | : ≈ 100 °C                   |
| Flammability                                    | : Not available              |
| Explosive properties                            | : Not explosive.             |
| Explosive limits                                | : Not available              |
| Lower explosive limit (LEL)                     | : Not available              |
| Upper explosive limit (UEL)                     | : Not available              |
| Flash point                                     | : Not applicable             |
| Auto-ignition temperature                       | : Not self-igniting          |
| Decomposition temperature                       | : Not available              |
| pH  | : 6 – 8                      |
| Viscosity, kinematic                            | : Not available              |
| Viscosity, dynamic                              | : 380 – 470 Pa·s             |
| Solubility                                      | : Water: completely miscible |
| Partition coefficient n-octanol/water (Log Kow) | : Not available              |
| Vapour pressure                                 | : 23 hPa (20°C)              |
| Vapour pressure at 50 °C                        | : Not available              |
| Density   | : ≈ 1.5 g/cm <sup>3</sup>    |
| Relative density                                | : Not available              |
| Relative vapour density at 20 °C                | : Not available              |
| Particle size                                   | : Not applicable             |
| Particle size distribution                      | : Not applicable             |
| Particle shape                                  | : Not applicable             |
| Particle aspect ratio                           | : Not applicable             |
| Particle aggregation state                      | : Not applicable             |
| Particle agglomeration state                    | : Not applicable             |
| Particle specific surface area                  | : Not applicable             |
| Particle dustiness                              | : Not applicable             |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

|             |           |
|-------------|-----------|
| Miscibility | : ≈ 80 %  |
| VOC content | : < 1 g/l |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Aluminium hydroxide (21645-51-2)

|               |   |
|---------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
|---------------|---|

#### titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

|                       |  |
|-----------------------|--|
| LD50 oral rat         | > 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity) |
| LD50 dermal rabbit    | > 5000 mg/kg   |
| LC50 Inhalation - Rat | > 6.8 mg/l/4h  |

Skin corrosion/irritation : Not classified  
pH: 6 – 8  
Serious eye damage/irritation : Not classified  
pH: 6 – 8  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified (Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.).  
Reproductive toxicity : Not classified

#### Aluminium hydroxide (21645-51-2)

|                           |  |
|---------------------------|--|
| NOAEL (animal/male, F0/P) | 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
|---------------------------|--|

STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Aluminium hydroxide (21645-51-2)

|  |   |
|--|---|
| NOAEC (inhalation, rat, dust/mist/fume, 90 days) | 0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) |
|--|---|

Aspiration hazard : Not classified

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

#### 11.2.2 Other information

Other information : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### PROMASTOP®-CC paste

|                        |   |
|------------------------|---|
| Additional information | No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation |
|------------------------|---|

### titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ] (13463-67-7)

|                                    |              |
|------------------------------------|--------------|
| LC50 - Fish [1]                    | > 1000 mg/l  |
| LC50 - Fish [2]                    | > 10000 mg/l |
| EC50 - Crustacea [1]               | > 1000 mg/l  |
| EC50 - Other aquatic organisms [1] | > 10000 mg/l |
| EC50 72h - Algae [1]               | > 100 mg/l   |
| EC50 72h - Algae [2]               | > 10000 mg/l |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### PROMASTOP®-CC paste

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII



# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Do not allow entry to drains, sewers, water courses or soil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose as hazardous waste. Avoid release to the environment. Do not allow entry to drains, sewers, water courses or soil. Dispose in a safe manner in accordance with local/national regulations.  
European List of Waste (LoW) code : 08 01 11\* - waste paint and varnish containing organic solvents or other dangerous substances  
HP Code : HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : Not regulated  
UN-No. (IMDG) : Not regulated  
UN-No. (IATA) : Not regulated  
UN-No. (ADN) : Not regulated  
UN-No. (RID) : Not regulated

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated  
Proper Shipping Name (IATA) : Not regulated  
Proper Shipping Name (ADN) : Not regulated  
Proper Shipping Name (RID) : Not regulated

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not regulated  
**IMDG**  
Transport hazard class(es) (IMDG) : Not regulated  
**IATA**  
Transport hazard class(es) (IATA) : Not regulated  
**ADN**  
Transport hazard class(es) (ADN) : Not regulated  
**RID**  
Transport hazard class(es) (RID) : Not regulated

### 14.4. Packing group

Packing group (ADR) : Not regulated  
Packing group (IMDG) : Not regulated  
Packing group (IATA) : Not regulated  
Packing group (ADN) : Not regulated

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Packing group (RID) : Not regulated

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : < 1 g/l

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

1. Identification of the substance/mixture and of the company/undertaking. 2. Hazards identification. 3. Composition/information on ingredients. 6. Accidental release measures. 7. Handling and storage. 11. Toxicological information. 13. Disposal considerations. 16. Other information.

#### Full text of H- and EUH-statements:

|                           |                                     |
|---------------------------|-------------------------------------|
| Acute Tox. 2 (Dermal)     | Acute toxicity (dermal), Category 2 |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 3 (Oral)       | Acute toxicity (oral), Category 3   |

# PROMASTOP®-CC paste

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|                     |   |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4   |
| Aquatic Acute 1     | Hazardous to the aquatic environment — Acute Hazard, Category 1   |
| Aquatic Chronic 1   | Hazardous to the aquatic environment — Chronic Hazard, Category 1   |
| Carc. 2             | Carcinogenicity, Category 2   |
| Eye Dam. 1          | Serious eye damage/eye irritation, Category 1   |
| Eye Irrit. 2        | Serious eye damage/eye irritation, Category 2   |
| Skin Corr. 1C       | Skin corrosion/irritation, Category 1, Sub-Category 1C  |
| Skin Irrit. 2       | Skin corrosion/irritation, Category 2   |
| Skin Sens. 1        | Skin sensitisation, Category 1  |
| Skin Sens. 1A       | Skin sensitisation, category 1A   |
| H301                | Toxic if swallowed.   |
| H302                | Harmful if swallowed.   |
| H310                | Fatal in contact with skin.   |
| H314                | Causes severe skin burns and eye damage.  |
| H315                | Causes skin irritation.   |
| H317                | May cause an allergic skin reaction.  |
| H318                | Causes serious eye damage.  |
| H319                | Causes serious eye irritation.  |
| H330                | Fatal if inhaled.   |
| H351                | Suspected of causing cancer.  |
| H400                | Very toxic to aquatic life.   |
| H410                | Very toxic to aquatic life with long lasting effects.   |
| EUH208              | Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1)(55965-84-9), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic reaction. |
| EUH211              | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.  |

The classification complies with : ATP 12

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.